

CONTENTS

July 2018 / VOLUME 63 / NUMBER 7

FOR INFORMATION, CONTACT:

AARC Membership and Other AARC Services

American Association for
Respiratory Care
9425 N MacArthur Blvd, Suite 100
Irving, TX 75063-4706
(972) 243-2272 • Fax (972) 484-2720
<http://www.aarc.org>

Credentialing Organization for RRT, CRT

National Board for
Respiratory Care
10801 Mastin St, Suite 300
Overland Park, KS 66210
(913) 895-4900 • Fax (913) 712-9283
<http://www.nbrc.org>

Accreditation of Education Programs

Commission on Accreditation for
Respiratory Care
1248 Harwood Rd
Bedford, TX 76021-4244
(817) 283-2835 • Fax (817) 354-8519
<http://www.coarc.com>

Grants, Scholarships, Community Projects

American Respiratory
Care Foundation
9425 N MacArthur Blvd, Suite 100
Irving, TX 75063-4706
(972) 243-2272 • Fax (972) 484-2720
<http://www.arcfoundation.org>

RESPIRATORY CARE

A Monthly Science Journal
Established in 1956

The Official Journal of the
American Association for
Respiratory Care



EDITOR'S COMMENTARY

Commentary on July 2018 Issue

i

EDITOR'S CHOICE

Results of a Patient Survey Regarding COPD Knowledge, Treatment
Experiences, and Practices With Inhalation Devices

by *Rajiv Dhand—Knoxville, Tennessee*
Donald A Mahler—Hanover, New Hampshire
Brian Carlin—Pittsburgh, Pennsylvania
Nicola Hanania—Houston, Texas
Jill Ohar—Winston-Salem, North Carolina
Victor Pinto-Plata—Springfield, Massachusetts
Tina Shah—Chicago, Illinois
David Eubanks—Altamonte Springs, Florida
and *Sidney S Braman—New York, New York*

833

ORIGINAL RESEARCH

Results of a Pulmonologist Survey Regarding Knowledge and Practices
With Inhalation Devices for COPD

by *Sidney S Braman—New York, New York*
Brian W Carlin—Pittsburgh, Pennsylvania
Nicola A Hanania—Houston, Texas
Donald A Mahler—Hanover, New Hampshire
Jill A Ohar—Winston-Salem, North Carolina
Victor Pinto-Plata—Springfield, Massachusetts
Tina Shah—Atlanta, Georgia
David Eubanks—Altamonte Springs, Florida
and *Rajiv Dhand—Knoxville, Tennessee*

840

A Comparison of the Adjustable Ranges of Inspiratory Pressurization
During Pressure Controlled Continuous Mandatory Ventilation of 5 ICU
Ventilators

by *Yukiko Koyama, Akinori Uchiyama, Junko Yoshida, Tomonori Yamashita,*
Yuji Fujino—Osaka, Japan
and *Takeshi Yoshida—Ontario, Canada*

849

Patient Satisfaction With Inhaled Medication for Asthma

by *Ashutosh N Aggarwal, Raman Kumari, and Sandeep Grover—Chandigarh, India*

859

Effect of Cardiogenic Oscillations on Trigger Delay During Pressure
Support Ventilation

by *Glauco M Plens, Caio CA Morais, Maria A Nakamura, Patricia N Souza,*
Marcelo BP Amato, Mauro R Tucci, and Eduardo LV Costa—São Paulo, Brazil

865

Lung Ultrasound Prior to Spontaneous Breathing Trial Is Not Helpful in
the Decision to Wean

by *Ana Carolina P Antonio, Marli M Knorst, and Cassiano Teixeira—Alegre, Brazil*

873

Noninvasive Ventilation After Coronary Artery Bypass Grafting in Subjects
With Left-Ventricular Dysfunction

by *Natasha O Marcondi, Isadora S Rocco, Douglas W Bolzan, Hayanne O Pauletti,*
Isis Begot, Natalia R Anjos, Rita Simone L Moreira, Mara L Nasrala, Ross Arena,
Walter J Gomes, and Solange Guizilini—São Paulo, Brazil

879

Incorporating a Nebulizer System Into High-Flow Nasal Cannula Improves
Comfort in Infants With Bronchiolitis

by *Juan Valencia-Ramos, Alicia Mirás, Amacia Cilla, Juan Arnaez—Burgos, Spain*
and *Carlos Ochoa—Zamora, Spain*

886

High-Flow Nasal Cannula in Pediatric Patients: A Survey of Clinical
Practice

by *Andrew G Miller, Michael A Gentle—Durham, North Carolina*
and *Lisa M Tyler, and Natalie Napolitano—Philadelphia, Pennsylvania*

894

CONTENTS

CONTINUED...

Effect of Transcutaneous Electrode Temperature on Accuracy and Precision of Carbon Dioxide and Oxygen Measurements in the Preterm Infants <i>by Jessica F Jakubowicz, Shasha Bai, David N Matlock, Michelle L Jones, Zhuopei Hu, Betty Proffitt, and Sherry E Courtney—Little Rock, Arkansas</i>	900
Accuracy of Transcutaneous CO ₂ Values Compared With Arterial and Capillary Blood Gases <i>by Laura L Lambert, Melissa B Baldwin, Cruz Velasco Gonzalez, Gary R Lowe, and J Randy Willis—Little Rock, Arkansas</i>	907
Patterns, Perception and Behavior of Electronic Nicotine Delivery Systems Use and Multiple Product Use Among Young Adults <i>by Mary P Martinasek, Amy Bowersock—Tampa, Florida and Christopher W Wheldon—Bethesda, Maryland</i>	913
<hr/> SYSTEMATIC REVIEW <hr/>	
Efficacy of Interventions to Improve Respiratory Function After Stroke <i>by Kênia KP Menezes, Lucas R Nascimento, Patrick R Avelino, Maria Tereza Mota Alvarenga, and Luci F Teixeira-Salmela—Gerais, Brazil</i>	920
<hr/> EDITORIALS <hr/>	
Making COPD Self-Management Education Work <i>by Ellen A Becker—Chicago, Illinois</i>	934
Simulation-Based Evaluation of Mechanical Ventilators <i>by Robert L Chatburn—Cleveland, Ohio</i>	936
<hr/> CORRESPONDENCE <hr/>	
Asynchrony Between Fact and Dogma <i>Robert L Chatburn—Cleveland, Ohio</i> <i>author reply by Carles Subirà—Manresa, Spain</i> <i>Candelaria de Haro, Lluís Blanch—Sabadell, Spain</i> <i>Rudys Magrans, and Rafael Fernández—Madrid, Spain</i>	941