



Supplemental Figure 1: Forest plot depicting the proportion of hospitalized subjects with tuberculosis requiring intensive care (left) and the proportion of all ICU admission with tuberculosis (right). The diamond represents the pooled proportion and the line running across is the 95% confidence interval.



Supplemental Figure 2: Funnel plot comparing proportion ratio versus the standard error of proportion of hospital mortality (A), intensive care mortality (B), mortality in acute respiratory distress syndrome (C) and mortality in miliary tuberculosis (D). Open circles represent individual studies included in the meta-analysis. The line in the center indicates the summar proportion. The other two lines represent the 95% confidence intervals. There is evidence of publication bias.



REFERENCES

1. Kim YJ, Pack KM, Jeong E, et al. Pulmonary tuberculosis with acute respiratory failure. *Eur Respir J.* 2008;32(6):1625-1630.
2. Bhurayontachai R, Maneenil K. Factors influencing development and mortality of acute respiratory failure in hospitalized patient with active pulmonary tuberculosis: a 10-year retrospective review. *J Thorac Dis.* 2016;8(7):1721-1730.
3. Mansour M, Madkour A, Fouda M. Outcome of active pulmonary tuberculosis patients requiring respiratory intensive care admission. *Egypt J Bronchol.* 2014;8(2):79-86.
4. Duro RP, Figueiredo Dias P, Ferreira AA, et al. Severe Tuberculosis Requiring Intensive Care: A Descriptive Analysis. *Crit Care Res Pract.* 2017;2017:9535463.
5. Erbes R, Oettel K, Raffenberg M, Mauch H, Schmidt-Ioanas M, Lode H. Characteristics and outcome of patients with active pulmonary tuberculosis requiring intensive care. *Eur Respir J.* 2006;27(6):1223-1228.
6. Pecego AC, Amancio RT, Ribeiro C, et al. Six-month survival of critically ill patients with HIV-related disease and tuberculosis: a retrospective study. *BMC Infect Dis.* 2016;16:270.
7. Balkema CA, Irusen EM, Taljaard JJ, Koegelenberg CF. Tuberculosis in the intensive care unit: a prospective observational study. *Int J Tuberc Lung Dis.* 2014;18(7):824-830.
8. Zahar JR, Azoulay E, Klement E, et al. Delayed treatment contributes to mortality in ICU patients with severe active pulmonary tuberculosis and acute respiratory failure. *Intensive Care Med.* 2001;27(3):513-520.
9. Kim S, Kim H, Kim WJ, et al. Mortality and predictors in pulmonary tuberculosis with respiratory failure requiring mechanical ventilation. *Int J Tuberc Lung Dis.* 2016;20(4):524-529.
10. Loh WJ, Yu Y, Loo CM, Low SY. Factors associated with mortality among patients with active pulmonary tuberculosis requiring intensive care. *Singapore Med J.* 2016.
11. Sharma SK, Mohan A, Banga A, Saha PK, Guntupalli KK. Predictors of development and outcome in patients with acute respiratory distress syndrome due to tuberculosis. *Int J Tuberc Lung Dis.* 2006;10(4):429-435.
12. Hayhurst DM, Kussman BD, Potgeiter PD. Acute Respiratory Failure due to Pulmonary Tuberculosis - A Five Year Analysis in an Intensive Care Unit. *S Afr J Crit Care.* 1994;10(1):4-7.
13. Deng W, Yu M, Ma H, et al. Predictors and outcome of patients with acute respiratory distress syndrome caused by miliary tuberculosis: a retrospective study in Chongqing, China. *BMC Infect Dis.* 2012;12:121.
14. Valade S, Raskine L, Aout M, et al. Tuberculosis in the intensive care unit: A retrospective descriptive cohort study with determination of a predictive fatality score. *Can J Infect Dis Med Microbiol.* 2012;23(4):173-178.
15. Lee PL, Jerng JS, Chang YL, et al. Patient mortality of active pulmonary tuberculosis requiring mechanical ventilation. *Eur Respir J.* 2003;22(1):141-147.
16. Ryu YJ, Koh WJ, Kang EH, et al. Prognostic factors in pulmonary tuberculosis requiring mechanical ventilation for acute respiratory failure. *Respirology.* 2007;12(3):406-411.
17. Calligaro GL, Theron G, Khalfey H, et al. Burden of tuberculosis in intensive care units in Cape Town, South Africa, and assessment of the accuracy and effect on patient outcomes of the Xpert MTB/RIF test on tracheal aspirate samples for diagnosis of

- pulmonary tuberculosis: a prospective burden of disease study with a nested randomised controlled trial. *Lancet Respir Med*. 2015;3(8):621-630.
- 18. Muthu V, Dhooria S, Aggarwal AN, Behera D, Sehgal IS, Agarwal R. Acute Respiratory Distress Syndrome Due To Tuberculosis in a Respiratory ICU Over a 16-Year Period. *Crit Care Med*. 2017;45(10):e1087-e1090.
 - 19. Lee K, Kim JH, Lee JH, et al. Acute respiratory distress syndrome caused by miliary tuberculosis: a multicentre survey in South Korea. *Int J Tuberc Lung Dis*. 2011;15(8):1099-1103.
 - 20. Filiz KA, Levent D, Emel E, Pelin U, Turkay A, Aybuke K. Characteristics of Active Tuberculosis Patients Requiring Intensive Care Monitoring and Factors Affecting Mortality. *Tuberc Respir Dis (Seoul)*. 2016;79(3):158-164.
 - 21. Lanoix JP, Gaudry S, Flicoteaux R, Ruimy R, Wolff M. Tuberculosis in the intensive care unit: a descriptive analysis in a low-burden country. *Int J Tuberc Lung Dis*. 2014;18(5):581-587.
 - 22. Lin SM, Wang TY, Liu WT, et al. Predictive factors for mortality among non-HIV-infected patients with pulmonary tuberculosis and respiratory failure. *Int J Tuberc Lung Dis*. 2009;13(3):335-340.
 - 23. Levy H, Kallenbach JM, Feldman C, Thorburn JR, Abramowitz JA. Acute respiratory failure in active tuberculosis. *Crit Care Med*. 1987;15(3):221-225.
 - 24. Penner C, Roberts D, Kunimoto D, Manfreda J, Long R. Tuberculosis as a primary cause of respiratory failure requiring mechanical ventilation. *Am J Respir Crit Care Med*. 1995;151(3 I):867-872.
 - 25. Kim JY, Park YB, Kim YS, et al. Miliary tuberculosis and acute respiratory distress syndrome. *Int J Tuberc Lung Dis*. 2003;7(4):359-364.
 - 26. Mahmoud ES, Baharoon SA, Alsafi E, Al-Jahdaly H. Acute respiratory distress syndrome complicating community-acquired pneumonia secondary to mycobacterium tuberculosis in a tertiary care center in Saudi Arabia. *Saudi Med J*. 2016;37(9):973-978.
 - 27. Yang JY, Han M, Koh Y, et al. Effects of Corticosteroids on Critically Ill Pulmonary Tuberculosis Patients With Acute Respiratory Failure: A Propensity Analysis of Mortality. *Clin Infect Dis*. 2016;63(11):1449-1455.
 - 28. Kmet LM, Lee RC, LS. C. Standard quality assessment criteria for evaluating primary research papers from a variety of fields. Edmonton: AHFMR, www.ahfmr.ab.ca; 2004.
 - 29. Agarwal MK, Muthuswamy PP, Banner AS, Shah RS, Addington WW. Respiratory failure in pulmonary tuberculosis. *Chest*. 1977;72(5):605-609.
 - 30. Frame RN, Johnson MC, Eichenhorn MS, Bower GC, Popovich J, Jr. Active tuberculosis in the medical intensive care unit: a 15-year retrospective analysis. *Crit Care Med*. 1987;15(11):1012-1014.
 - 31. Vyskocil JJ, Marik P, Greville HW. Survival with tuberculosis pneumonia necessitating mechanical ventilation. *Clin Pulm Med*. 1995;2(3):152-156.
 - 32. Hui C, Wu CL, Chan MC, Kuo IT, Chiang CD. Features of severe pneumonia in patients with undiagnosed pulmonary tuberculosis in an intensive care unit. *J Formos Med Assoc*. 2003;102(8):563-569.
 - 33. Ulasli SS, Ulubay G, Arslan NG, et al. Characteristics and outcomes of end-stage renal disease patients with active tuberculosis followed in intensive care units. *Saudi J Kidney Dis Transpl*. 2009;20(2):254-259.

34. Silva DR, Menegotto DM, Schulz LF, Gazzana MB, Dalcin PT. Mortality among patients with tuberculosis requiring intensive care: a retrospective cohort study. *BMC Infect Dis.* 2010;10:54.
35. Alshimemeri AA, Arabi YM, Al-Jahdali H, Olayan A, Al Harbi O, Memish Z. Clinical presentation and outcome of patients diagnosed with active pulmonary tuberculosis in a large critical care unit. *Crit Care Shock.* 2011;14(1):1-6.
36. Rollas K, Kara A, Ortac Ersoy NE, et al. Acute tuberculosis in the intensive care unit. *Turk J Med Sci.* 2015;45(4):882-887.