CONTENTS

January 2017 / VOLUME 62 / NUMBER 1

FOR INFORMATION, CONTACT:

AARC Membership and Other AARC Services

American Association for Respiratory Care 9425 N MacArthur Blvd, Suite 100 Irving, TX 75063-4706 (972) 243-2272 • Fax (972) 484-2720 http://www.aarc.org

Credentialing Organization for RRT, CRT

National Board for Respiratory Care 18000 W 105th St Olathe KS 66061 (913) 895-4900 • Fax (913) 895-4650 http://www.nbrc.org

Accreditation of Education Programs

Commission on Accreditation for Respiratory Care 1248 Harwood Rd Bedford TX 76021-4244 (817) 283-2835 • Fax (817) 354-8519 http://www.coarc.com

Grants, Scholarships, Community Projects

American Respiratory
Care Foundation
9425 N MacArthur, Blvd, Suite 100
Irving, TX 75063-4706
(972) 243-2272 • Fax (972) 484-2720
http://www.arcfoundation.org



A Monthly Science Journal Established in 1956

The Official Journal of the American Association for Respiratory Care



Editor's Commentary	
Commentary on the January 2017 Issue	i
Editor's Choice	
A Respiratory Therapist Disease Management Program for Subjects Hospitalized With COPD by Patty C Silver, Marin H Kollef, Darnetta Clinkscale, Peggy Watts, Robin Kidder, Brittany Eads, Debbie Bennett, Carolyn Lora, and Michael Quartaro—St. Louis, Missouri	1
Original Research	
Performance of Leak Compensation in All-Age ICU Ventilators During Volume-Targeted Neonatal Ventilation: A Lung Model Study by Taiga Itagaki, Desmond J Bennett, Christopher T Chenelle, Daniel F Fisher, and Robert M Kacmarek—Boston, Massachusetts	10
Effects of Leak Compensation on Patient-Ventilator Synchrony During Premature/Neonatal Invasive and Noninvasive Ventilation: A Lung Model Study by Taiga Itagaki, Christopher T Chenelle, Desmond J Bennett, Daniel F Fisher, and Robert M Kacmarek—Boston, Massachusetts	2 2
Performance of the New Turbine Mid-Level Critical Care Ventilators by Carlos Delgado, Jose E Romero, Jaume Puig, Ana Izquierdo, Carlos Ferrando, F Javier Belda, and Marina Soro—Valencia, Spain	3 4
Economics of Home Monitoring for Apnea in Late Preterm Infants by Brian L Montenegro, Michael Amberson, Lauren Veit—Boston, Massachusetts Christina Freiberger—Chestnut Hill, Massachusetts Dmitry Dukhovny—Portland, Oregon and Lawrence M Rhein—Worcester, Massachusetts	4 2
Pediatric Prolonged Mechanical Ventilation: Considerations for Definitional Criteria by Michaël Sauthier, Philippe Jouvet—Québec, Canada and Louise Rose—Ontario, Canada	49
Long-Term Management for Ventilator-Assisted Children in Hong Kong: 2 Decades' Experience by Shuk-Kuen Chau, Ada Wing-Yan Yung, and So-Lun Lee—Pokfulam, Hong Kong	5 4
Reliability of Vibrating Mesh Technology by Ashwin A Gowda, Ann D Cuccia, and Gerald C Smaldone—Stony Brook, New York	6 5
Redesign of an Open-System Oxygen Face Mask With Mainstream Capnometer for Children by Natalie Napolitano, Akira Nishisaki, Hayley S Buffman, Jessica Leffelman, Matthew R Maltese, and Vinay M Nadkarni—Philadelphia, Pennsylvania	70
A Comparison of Different Techniques for Interfacing Capnography With Adult and Pediatric Supplemental Oxygen Masks by Justin S Phillips, Lance P Pangilinan, Earl R E Mangalindan, Joseph L Booze, and Richard H Kallet—San Francisco, California	78
Deep Breathing Improves End-Tidal Carbon Dioxide Monitoring of an Oxygen Nasal Cannula-Based Capnometry Device in Subjects Extubated After Abdominal Surgery	. 0

by Shunsuke Takaki, Kenji Mizutani, Moeka Fukuchi, Tasuku Yoshida, Masahumi Idei,

Comparing the Effects of Two Different Levels of Hyperoxygenation on Gas Exchange During Open Endotracheal Suctioning: A Randomized 86

Yuko Matsuda, Yoshikazu Yamaguchi, Tetsuya Miyashita, Takeshi Nomura,

by Jacqueline Rodrigues de Freitas Vianna, Valéria Amorim Pires Di Lorenzo, Miléa Mara Lourenço da Silva Simões, and Maurício Jamani—São Paulo, Brazil

Osamu Yamaguchi, and Takahisa Goto-Kanagawa, Japan

Crossover Study

CONTENTS

CONTINUED...

Performance of the PneuX System: A Bench Study Comparison With 4 Other Endotracheal Tube Cuffs by Christopher T Chenelle, Taiga Itagaki, Daniel F Fisher, Lorenzo Berra, and Robert M Kacmarek—Boston, Massachusetts	102
Reviews	
Past and Present ARDS Mortality Rates: A Systematic Review by Jan Máca, Ondřej Jor, Peter Sklienka, Filip Burša, Michal Burda, Vladimír Janout, Pavel Ševčík—Ostrava, Czech Republic and Michal Holub—Prague, Czech Republic	113
High-Flow Nasal Cannula in Critically Ill Subjects With or at Risk for Respiratory Failure: A Systematic Review and Meta-Analysis by Wagner Luis Nedel, Caroline Deutschendorf, and Edison Moraes Rodrigues Filho—Porto Alegre, Brazil	123
Editorials	
Prevention of COPD Readmissions: A Work in Progress by Stephen Derdak—Lackland Air Force Base, Texas	133
Leak Compensation Algorithms: The Key Remedy to Noninvasive Ventilation Failure? by Alban De Luca, Fatimata S Sall, and Abdo Khoury—Besançon, France	135





