

CORRECTION

In the paper “Effectiveness of Controlled Breathing Techniques on Anxiety and Depression in Hospitalized Patients With COPD: A Randomized Clinical Trial” by Marie Carmen Valenza, Geraldine Valenza-Peña, Irene Torres-Sánchez, Emilio González-Jiménez, Alicia Conde-Valero, and Gerald Valenza-Demet (*Respir Care* 2014;59[2]:209-215), there were errors in Table 2. We regret these errors. The corrected table appears below:

Table 2. Baseline Versus Discharge Dyspnea, Anxiety and Depression, and Quality of Life Scores

	Intervention Group (n = 23)			Control Group (n = 23)			Mean Differences Between Groups at Discharge (IC 95%)	P
	Baseline	At Discharge	Mean Differences Between Baseline and Discharge (IC 95%)*	Baseline	At Discharge	Mean Differences Between Baseline and Discharge (IC 95%)*		
Dyspnea	2.75 ± 1.2	0.643 ± 0.91	2.10 (−3.1 to −1.5)*	2.71 ± 0.4	3.56 ± 2.66	0.8 (−2.3 to 1.6)	1.2 (−1.22 to −0.28)	<.001
Hospital Anxiety and Depression scale scores								
Anxiety	13.75 ± 4	2.14 ± 6.79	9.32 (−11.2 to −4.6)*	14 ± 4.9	8.1 ± 8.27	5.5 (0.3 to 6.5)*	6.0 (−18.36 to −2.01)	<.001
Depression	9.62 ± 2.1	3.56 ± 5.66	6.1 (−7.8 to −5.58)*	8.85 ± 4	7.00 ± 3.12	1.52 (−2.6 to 3.5)	3.52 (−9.79 to −1.05)	<.001
European Quality of Life Questionnaire scores								
Mobility	2.14 ± 0.9	0.71 ± 0.65	1.43 (−1.63 to −0.21)*	2 ± 0.63	1.83 ± 0.95	0.16 (−1.1 to 0.42)	1.1 (−1.73 to −0.16)	<.001
Self-Care	1.91 ± 0.95	0.28 ± 0.46	1.62 (−1.78 to −0.32)*	2.17 ± 0.75	2.03 ± 0.72	0.16 (−0.52 to 1.13)	2.0 (−2.1 to −0.20)	<.001
Activity	2.31 ± 0.81	0.14 ± 0.65	2.12 (−2.36 to −1.12)*	2.5 ± 0.54	2.31 ± 0.64	0.16 (−1.02 to 0.45)	2.2 (−2.2 to −0.16)	<.005
Pain	1.97 ± 0.53	0.42 ± 0.74	1.57 (−2.02 to −0.85)*	2.1 ± 0.89	1.98 ± 0.42	0.02 (−0.3 to 1.25)	1.3 (−1.85 to −0.26)	<.001
Anxiety/Depression	2.38 ± 0.74	1.25 ± 1.41	1.12 (−1.65 to −0.32)*	2.51 ± 0.75	2.3 ± 0.88	0.10 (−0.89 to 0.6)	1.23 (−1.58 to −0.19)	<.001

Values are mean ± SD.

* Significant between baseline and discharge differences.