

CONTENTS

October 2021 / VOLUME 66 / NUMBER 10

FOR INFORMATION, CONTACT:

AARC Membership and Other AARC Services

American Association for
Respiratory Care
9425 N MacArthur Blvd, Suite 100
Irving, TX 75063-4706
(972) 243-2272 • Fax (972) 484-2720
<http://www.aarc.org>

Credentialing Organization for RRT, CRT

National Board for
Respiratory Care
10801 Mastin St, Suite 300
Overland Park, KS 66210
(913) 895-4900 • Fax (913) 712-9283
<http://www.nbrc.org>

Accreditation of Education Programs

Commission on Accreditation for
Respiratory Care
1248 Harwood Rd
Bedford, TX 76021-4244
(817) 283-2835 • Fax (817) 354-8519
<http://www.coarc.com>

Grants, Scholarships, Community Projects

American Respiratory
Care Foundation
9425 N MacArthur Blvd, Suite 100
Irving, TX 75063-4706
(972) 243-2272 • Fax (972) 484-2720
<http://www.arcfoundation.org>

**RESPIRATORY
CARE**

A Monthly Science Journal
Established in 1956

The Official Journal of the
American Association for
Respiratory Care



EDITOR'S COMMENTARY

Commentary on October 2021 Issue

EDITOR'S CHOICE

Driving Pressure Is a Risk Factor for ARDS in Mechanically Ventilated Subjects Without ARDS

1505

by Oriol Roca, Marina García-de-Acilu, César Laborda, Judit Sacanell, Jordi Riera—Barcelona, Spain
Oscar Peñuelas, Andrés Esteban, Fernando Frutos-Vivar, Alfonso Muriel—Madrid, Spain
Konstantinos Raymondos—Hannover, Germany
Bin Du—Beijing, People's Republic of China
Arnaud W Thille—Poitiers, France
Fernando Ríos—Buenos Aires, Argentina
Marco González—Medellín, Colombia
Lorenzo del Sorbo—Toronto, Ontario, Canada
Maria del Carmen Marín—México City, México
Marco Antonio Soares—Belo Horizonte, Brazil
Bruno Valle Pinheiro—Juiz de Fora, Brazil
Nicolas Nin—Montevideo, Uruguay
Salvatore M Maggiore—Chieti, Italy
Andrew Bersten—Adelaide, Australia
Pravin Amin—Mumbai, India
Nahit Çakar—Istanbul, Turkey
Gee Young Suh—Seoul, South Korea
Fekri Abroug—Monastir, Tunisia
Manuel Jibaja—Quito, Ecuador
Dimitros Matamis—Thessaloniki, Greece
Amine Ali Zeggwagh—Rabat, Morocco
Yuda Sutherasan—Bangkok, Thailand
and Antonio Anzueto—San Antonio, Texas

ORIGINAL RESEARCH

Performance Evaluation of Nasal Prong Interface for CPAP Delivery on a Critical Care Ventilator: A Bench Experiment

1514

by Natalie Napolitano, Amanda J Nickel, Joseph McDonough, Rui Feng, Erik A Jensen, Kevin Dysart, Richard Lin—Philadelphia, Pennsylvania
Haorui Sun—Hershey, Pennsylvania
and Tracey Roberts—Stanford, California

F_{IO₂} Trajectory as a Pragmatic Intermediate Marker in Acute Hypoxic Respiratory Failure

1521

by Sarah J Chalmers, Yewande E Odeyemi, Amos Lal, Heyi Li, Ryan D Frank, Ognjen Gajic, and Hemang Yadav—Rochester, Minnesota

A Bench Evaluation of Eight Home-Care Ventilators

1531

by Sara Martínez Castro, Francisco Javier Belda Nacher, Carlos Delgado Navarro, and Jaume Puig Bernabeu—Valencia, Spain

Early Identification of Extubation Failure Using Integrated Pulmonary Index and High-Risk Factors

1542

by Ramandeep Kaur, David L Vines, Ankeet D Patel, Robert A Balk—Chicago, Illinois
and Roberta Lugo-Robles—Bethesda, Maryland

Inhaled Nitric Oxide Use and Outcomes in Critically Ill Children With a History of Prematurity

1549

by Aline B Maddux—Aurora, Colorado
Peter M Mourani—Little Rock, Arkansas
Russell Banks, Ron W Reeder—Salt Lake City, Utah
Murray M Pollack, John T Berger—Washington, DC
Robert A Berg—Philadelphia, Pennsylvania
Kathleen L Meert—Detroit, Michigan
Patrick S McQuillen—San Francisco, California
Andrew R Yates—Columbus, Ohio
and Daniel A Notterman—Princeton, New Jersey

CONTENTS

CONTINUED...

Agreement Between Transcutaneous Monitoring and Arterial Blood Gases During COPD Exacerbation <i>by Kasper M Sørensen, Rebecca V Leicht, Christian J Carlsson, Mikkel Elvekjaer, Celeste Porsbjerg, Eske K Aasvang, and Christian S Meyhoff—Copenhagen, Denmark</i>	1560
Effects of Pneumatic Tube Transport on Blood Gas and Supplemental Analytes <i>by Phillip R Jensen, Ryan L Aramaki, Steve C Mannebach, and Boaz A Markewitz—Salt Lake City, Utah</i>	1567
Evaluation of a Bubble CPAP System for Low Resource Settings <i>by Michelle L Dundek, Ellie K Ng, Abigail M Brazil, Thomas F Burke—Boston, Massachusetts Robert M DiBlasi, and Jonathan A Poli—Seattle, Washington</i>	1572
In Vitro Comparison of Different Nebulizers Delivering 7% Hypertonic Saline <i>by Ariel Berlinski—Little Rock, Arkansas</i>	1582
Effects of Environmental and Mechanical Variations on Particle Size Distribution of Albuterol HFA Inhalers <i>by Kelsey L Rhodes, Ike Nagamine, Stephen M Masutani, and Loren G Yamamoto—Honolulu, Hawaii</i>	1588
Short-Term Effects of Pressure Controlled Versus Volume Controlled Noninvasive Ventilation in Subjects With Amyotrophic Lateral Sclerosis <i>by Grazia Crescimanno, Francesca Greco, Manuela Bertini, Salvo Arriscato, and Oreste Marrone—Palermo, Italy</i>	1593
Respiratory Mechanics in a Cohort of Critically Ill Subjects With COVID-19 Infection <i>by August Longino—Aurora, Colorado Toni Riveros, Erik Risa, Chris Hebert, Joshua Krieger, Steven Coppess, Flynn McGuire, Pavan K Bhatraju, James Town, and Nicholas J Johnson—Seattle, Washington</i>	1601
Gas Exchange Impairment During COVID-19 Recovery <i>by Laura Gochicoa-Rangel, Aloisia Paloma Hernández-Morales, Antonio Salles-Rojas, Wilmer Madrid-Mejía, Carlos Guzmán-Valderrábano, Amaury González-Molina, Isabel Salas-Escamilla, Adela Durán-Cuellar, Mónica Silva-Cerón, Víctor Hernández-Morales, Alejandro Reyes-García, Irlanda Alvarado-Amador, Luis Lozano-Martínez, Paul Enright, Lya Edith Pensado-Piedra, and Luis Torre-Bouscoulet—Mexico City, Mexico</i>	1610
NARRATIVE REVIEW	
Short- and Long-Term Complications of Bronchopulmonary Dysplasia <i>by Travis D Homan and Ravi P Nayak—St. Louis, Missouri</i>	1618
EDITORIALS	
Adequate Tidal Volume Ventilation to Minimize Ventilator-Induced Lung Injury <i>by Jose Dianti and Eddy Fan—Toronto, Ontario, Canada</i>	1630
Minding the Gap: Desired Versus Delivered Respiratory Support <i>by Scott R Studeny—Cleveland, Ohio</i>	1634
F _{IO₂} : An Inspired Solution for a Universal Problem <i>by Catherine M Sampson, Muzna Khan, and Michael P Kinsky—Galveston, Texas</i>	1636