

Creating a Vision for Respiratory Care in 2015 and Beyond

Robert M Kacmarek PhD RRT FAARC, Charles G Durbin MD FAARC,
Thomas A Barnes EdD RRT FAARC, Woody V Kageler MD MBA,
John R Walton MBA RRT FAARC, and Edward H O'Neil PhD

Introduction

Methods

Results

Predicted Changes in Health Care

Changes in the Health-Care Workforce

Changes Expected in Respiratory Care

Discussion

Drivers of Health-Care Change

Current Status of Respiratory Care Within the Health-Care System

Potential Impact of Military and Public Health System Changes on Respiratory Practice

Current and Future Human Resource Issues

The Role of the Respiratory Therapist in Biomedical Innovation

Disease Management

What Should the Respiratory Therapist Do in the Future?

Summary

The respiratory care profession is over 60 years old. Throughout its short history, change and innovation have been the terms that best describe the development of the profession. The respiratory therapist (RT) of today barely resembles the clinicians of 60 years ago, and the future role of the RT is clearly open to debate. Medicine is continually changing, with new approaches to disease management emerging almost daily. Third-party payers are challenging payment for iatrogenic injury, manpower issues are affecting all disciplines in medicine, and the nonphysician and physician work force is aging. These factors make us question what the respiratory care profession will look like in the year 2015. To address this issue the American Association for Respiratory Care established a task force to envision the RT of the future. The goal is to identify potential new roles and responsibilities of RTs in 2015 and beyond, and to suggest the elements of education, training, and competency-documentation needed to assure safe and effective execution of those roles and responsibilities. We present the initial findings of that task force. *Key words: respiratory care, respiratory therapist, iatrogenic injury, manpower, education, training, competency.* [Respir Care 2009;54(3):375–389. © 2009 Daedalus Enterprises]

Robert M Kacmarek PhD RRT FAARC is affiliated with the Department of Anesthesiology, Massachusetts General Hospital, and with Harvard Medical School, Boston, Massachusetts. Charles G Durbin MD FAARC is affiliated with Departments of Anesthesiology and Surgery, University of Virginia Medical Center, University of Virginia School of Medicine, Charlottesville, Virginia. Thomas A Barnes EdD RRT FAARC is Professor Emeritus of Cardiopulmonary Sciences, Northeastern University,

Boston, Massachusetts. Woody V Kageler MD MBA is affiliated with the Health Sciences Department, Tarrant County College, Hurst, Texas. John R Walton MBA RRT FAARC is affiliated with Resurrection Health Care, Chicago, Illinois. Edward H O'Neil PhD is affiliated with the Department of Family and Community Medicine and Social and Behavioral Sciences, and with the Center for the Health Professions, University of California, San Francisco, California.

Introduction

The profession of respiratory care was officially established over 60 years ago.¹ During the early years, respiratory therapists (RTs) were referred to as oxygen technicians, and most of their activities involved moving cylinders of compressed gas and administering oxygen via nasal catheter or oxygen tent.² Most oxygen technicians were trained on the job, although brief training programs began to appear in the late 1940s and 1950s.³

Today the profession hardly resembles what it was in the 1940s. RTs provide direct care, patient education, and care coordination. They practice in acute care facilities, long-term acute care facilities, skilled nursing facilities, assisted-living centers, subacute care units, rehabilitation centers, diagnostics units, and in the home.⁴ RT training has also dramatically changed. Current accreditation standards require RTs to have, at minimum, an associate degree from an accredited program.⁵ Legal requirements to practice respiratory therapy have also dramatically changed. All 48 contiguous states now legally recognize RTs. Limited permits or state licenses are now required in all states except Alaska and Hawaii, which have no statutory authority over the practice of respiratory therapy. Most states that have a licensure requirement also require continuing education.

The future role of the RT is clearly open to debate. Medicine is continually changing, with new approaches to disease management emerging almost daily. Third-party payers are challenging payment for iatrogenic injury and some established therapies. Manpower issues, including aging of the workforce, are affecting all medical disciplines. These factors make us question what the respiratory care profession will look like in the year 2015.

To address this issue the American Association for Respiratory Care (AARC) established a task force to “envision the RT of the future.” The goal is to identify potential new roles and responsibilities of RTs in the year 2015 and beyond, and to suggest the elements of education, training, and competency-documentation needed to assure safe and effective execution of those roles and responsibilities. It

Dr Kacmarek has had relationships with Space Labs, Puritan Bennett, Maquet, Cardinal Health, Newport Medical, Hamilton Medical, Respironics, General Electric, and Dräger. Dr Kageler has had relationships with Nurtur. Dr O’Neil has had relationships with Genentech, National Institutes of Health, the Betty and Gordon Moore Foundation, the Californian Health Care Foundation, the California Endowment, the Blue Cross/Blue Shield Association, and the Pew Charitable Trusts. Dr Durbin has had relationships with Kimberly Clark and Masimo.

Correspondence: Robert M Kacmarek PhD RRT FAARC, Respiratory Care Services, Massachusetts General Hospital, 55 Fruit Street, Boston MA 02114. E-mail: rkacmarek@partners.org.

Table 1. Content Outline of the 3 AARC Task Force Conferences on the Future of the Respiratory Care Profession

Conference	Objectives
1	To identify the emerging values of the United States’ evolving health-care delivery system. To define potential new roles and responsibilities of RTs in 2015 and beyond.
2	To identify the skills, knowledge, attributes, education, and competency-documentation that RTs will need for the new roles and responsibilities.
3	To determine how we get to where we’ll need to be to prepare RTs for the new roles and responsibilities, with minimal impact on the workforce.

RT = respiratory therapist

was decided to hold a series of 3 conferences (Table 1). Here we present the findings of the first conference.

Methods

In the spring of 2007 the AARC executive office formed a task force of 15 individuals with knowledge of the respiratory care profession, respiratory care education, and health-care policy, consumers of respiratory care, and 3 AARC executives (Appendix 1). These individuals were selected based on their long-term commitment to and knowledge of the respiratory care profession, as evidenced by the elected positions they held and their work history, their commitment to research and education, or their personal experiences receiving respiratory care. In addition, individuals were selected to represent stakeholders in the profession, which were identified as employers, employee groups, foundations, professional associations, state and federal government agencies, education institutions, health-care delivery systems, and the public. These individuals participated in a series of telephone conference calls and e-mail discussions at least monthly, culminating in a 1-day face-to-face meeting in the fall of 2007. These discussions focused on designing a 3-day conference to address these questions:

- What are the emerging values of the United States’ evolving health-care delivery system?
- How does the evolving system relate to the context of diagnosis, treatment, and management of patients with respiratory disorders?
- What responsibilities should RTs assume to assure adequate access, efficiency, and quality of respiratory care services?

CREATING A VISION FOR RESPIRATORY CARE IN 2015 AND BEYOND

Table 2. Conference 1 Program

Topic	Speaker(s)
Welcome and Introductory Remarks	Sam P Giordano MBA RRT FAARC, American Association for Respiratory Care
Overview of Process and Introduction of Participants	Charles G Durbin Jr MD FAARC, University of Virginia, Charlottesville, Virginia John R Walton MBA RRT FAARC, Resurrection Health Care, Chicago, Illinois
A Vision of the Health-Care System in 2015 and Beyond: Planning Assumptions and Questions To Be Addressed	Charles G Durbin Jr MD FAARC, University of Virginia, Charlottesville, VA John R Walton MBA RRT FAARC, Resurrection Health Care, Chicago, Illinois
Current Status and Evolution of the Health Care System	Edward H O'Neil PhD MPA, Center for the Health Professions, San Francisco, California Gordon D Rubinfeld MD MSc, University of Toronto, Toronto, Ontario, Canada
Current Status of Respiratory Care Within the Health Care System	Patrick J Dunne MEd RRT FAARC, Healthcare Productions, Fullerton, California
What Respiratory Patients Need	John W Walsh, COPD Foundation and Alpha-1 Foundation, Miami Florida
Special Considerations That Impact Health Care and Respiratory Therapy Demand in the Military	Col Michael J Morris MC USA, Brooke Army Medical Center, Fort Sam, Houston, Texas
Public Health	Judy Blumenthal PhD, United States Department of Health and Human Services, Washington DC
Current and Future Human Resource Issues	William H Dubbs MEd MHA RRT FAARC, American Association for Respiratory Care
The Impact of Biomedical Innovation on the Responsibilities of the RT	Neil R MacIntyre MD FAARC, Duke University, Durham, North Carolina
What Should RTs Be Doing in the Future?	John R Walton MBA RRT FAARC, Resurrection Health Care, Chicago, Illinois
Role of the Future RT Across the Spectrum of Care	Robert M Kacmarek PhD RRT FAARC, Massachusetts General Hospital, Boston, Massachusetts
Disease Management: What Skills Do RTs Need?	Woody V Kageler MD MBA, Tarrant County College, Hurst Texas; and Nurtur, Dallas, Texas
Development of a Vision of the Future Role Description for RTs in 2015 and Beyond	Charles G Durbin Jr MD FAARC, University of Virginia, Charlottesville, Virginia John R Walton MBA RRT FAARC, Resurrection Health Care, Chicago, Illinois

- What responsibilities can RTs add or expand that will improve efficient utilization of respiratory care resources and management of patients with chronic respiratory diseases?
- The first of the 3 conferences was held in Dallas, Texas, on March 3–5, 2008 (Table 2). Appendix 2 lists the stakeholders who were invited to participate. Appendix 3 lists the 35 conference attendees. At the conclusion of the conference there was a lengthy discussion involving all the attendees, to develop the preliminary outline of the conference's findings. The conference chairs, John Walton and Charles Durbin, prepared a summary of the conference findings, which was refined by the task force via e-mail correspondence and sent to all attendees for review and comment. Based on attendee feedback, a final summary of the conference findings was developed, which was approved by the planning committee and sent to all conference participants. The

results section below is written as a consensus statement about the conference findings. The referenced supporting materials are detailed in the discussion section.

Results

Predicted Changes in Health Care

The following are general trends in health care that will affect the respiratory care profession.

Since the United States' population continues to age, more patients will be diagnosed with chronic and acute respiratory diseases. There will be increased accuracy of diagnosis. Treatment will be aimed increasingly at outpatient management, and avoidance of hospital admission will be a goal. Increasing numbers of comorbid conditions will be identified that require management/treatment. "Health promotion" rather than illness treatment will become the goal of care.

Cost increases for care will continue, and individual, corporate, and public payers will find it increasingly difficult to meet these expenses.

Personal electronic health records will be more widely accepted and used in all care settings, including the home.

Health-care consumers will pay a greater percentage of costs and will have new options for obtaining care. Retail health clinics and other mass-marketed care centers will stimulate consumer-driven cost competition.

Hospitals will continue to provide expensive, episodic care and will house cutting-edge respiratory life-support technology, but subacute and home care providers will continue to play important roles. The delivery of acute care will move progressively from the hospital to the patient's home. Subacute and chronic care will increase in volume and complexity.

The disconnect between prevention and acute-care treatment (specifically, in hospitals) will lessen but not disappear. The increased complexity of care will heighten the need for better communication among all care providers and between the patient and family members. Telemedicine and telecare will be increasingly used in all care settings. Medical care will undergo increasing scrutiny for quality, and this will increasingly be linked to reimbursement, with initiatives such as pay-for-performance.

New models of health-care delivery, such as "hospital at home," "medical home," and telemedicine, will emerge, with increasing emphasis on coordination of care throughout the health-care system, including patient homes. Reimbursement and costs will influence the development and success of these new models.

Changes in the Health-Care Workforce

There will be national and regional shortages of all types of providers, including those who frequently interact directly with patients, such as physicians, nurses, and RTs, and those who have less intense patient interaction, such as diagnostic and laboratory technicians. There will be long-term competition for all advanced skilled workers throughout the United States economy. The rise in clinical demand will increase the number of jobs faster than the health-care workforce enlarges. This imbalance between the number of jobs and number of available workers will be aggravated by the aging and retirement of current providers. Less popular work hours (eg, night shift and weekends) in in-patient and other settings will dissuade some individuals from pursuing health-care careers. Shortages of teaching faculty and the limited number of programs will limit the number of entrants to and graduates from schools of allied health professions. Clinical sites are limited in number and variety. They will need to be expanded to include new venues, such as office practices and patients' homes. New information and education technologies will chal-

lenge traditional education. Care-delivery organizations will find reinvestment in education an attractive way to secure workers, reduce orientation time, and provide education and career ladders for employees.

Changes Expected in Respiratory Care

The science of respiratory care will continue to evolve and increase in complexity. Clinical decisions will become increasingly data-driven. Respiratory care will be an important part of care in all venues. Scientifically supported algorithms (protocols) will be the most common way to deliver respiratory care. This will stimulate an even greater need for RTs to be involved in research and will require the average RT to be adept at understanding the practical ramifications of published research.

Care teams will become the standard for health-care delivery in and outside the hospital. Team members will have different roles and responsibilities at different times, but respect and collaboration will be the hallmark of effective team functioning. Patients and their families will be important members of the health-care team and must be informed, empowered, and engaged in personal health management.⁶

Cultural differences among patients will require the RT to develop new skills and adopt various approaches to care for different groups.

Information management will become an important tool in choosing therapies and evaluating their effects. New respiratory life-support technologies will be developed and deployed. Research by the respiratory community on new technologies' clinical and cost effectiveness will be necessary. Changes in the reimbursement system will be very important drivers of changes in health care and disease management. Public health issues, military, and disaster-response concerns will continue and require new skill sets for RTs. RTs' knowledge, socialization, training, and skills will need to be aligned with the factors and changes detailed above.

Discussion

Drivers of Health-Care Change

Five interrelated drivers will shape most of the reality for health care and respiratory care over the next decade and a half (Table 3).

Cost of Care. The United States' approach to organizing and delivering health-care services, more than 16% of the nation's total productive effort, is the most expensive in the world.⁷ It amounts to about \$2 trillion per year, making it the seventh largest economic undertaking in the world. Health care is the largest part of the public budget, and the

Table 3. Drivers of Change in Health Care

Cost of care
Demographics
Shift in the disease burden
Technology
Consumers of health care

trust fund that pays for Medicare Part A has only about 10 years of funding remaining. On the private side, corporations, which have been the backbone of the employer-based health insurance system, are reducing coverage for employee health care. Individuals fear the loss of health insurance and direct exposure to the cost of care—a fear that often requires them to stay in jobs they don't care for or flirt with financial disaster because of lack of proper health insurance.⁷ Some third-party payers are proposing to eliminate payment for iatrogenic injury. These changes will require more efficient, effective, and safe care by all caregivers.

Demographics. The population is aging. As more of the people born after World War II (baby boomers) reach age 65, more clinical and financial stress will be placed on the health-care system. The good news is that the United States is aging at a slower rate than most of the nations we will compete with internationally,⁸ but those nations have already brought their citizens into health-care-payment plans that incorporate some form of cost control.⁹ Tension is building between the cost of health care and the increasing need for health care by the baby-boom generation. Another demographic trend that is easily missed is population growth. Between 2000 and 2025 the United States population is projected to grow by almost 20%.⁹ This is already generating a growing demand for new capacity, from hospital beds to new providers.

Shift in the Disease Burden. Disease burden will shift from acute disorders to chronic disease and disability. The United States population now lives 35 years longer than it did 100 years ago, which increases the likelihood of chronic disease. This will be multiplied by the aging baby-boom generation.¹⁰ The real driver here is that, while the demands of disease and population are changing, the United States health-care system is still designed to provide acute care, and not to prevent or manage chronic disease. This mismatch is no small part of the cost and dysfunction of health care in this country.¹⁰

Technology. This driver has already reshaped most of society and the economy over the past 20 years. As information and communication technologies make their way into health care, they will change administrative functions first, then clinical work, and then (the most revolutionary

change) the redistribution of knowledge from the experts, directly to the consumer/patient.¹¹ This change will accelerate over the next few years, as information technology merges with biomedical technology to produce care-management technology. With these tools, patients and their families will be more directly connected to the specialized knowledge of health care. The future will see a growing erosion of this professional monopoly, and, as the system is held accountable for new demands, technology will create new ways to organize, deliver, evaluate, and use the specialized knowledge that is at the core of health care.¹¹ Telemedicine and telecare will be increasingly utilized in all care settings.^{12,13}

Health-Care Consumers. Certainly, quality and access are 2 important drivers. However, change will most likely be forced by the consumers of health care. As costs increase and public and private payers become less likely to cover desired services, individual and new groupings of purchasers will emerge to express their desires in the market.¹⁴ They will look at quality (as best they can judge it), convenience, price, consumer satisfaction, and a host of other qualities that will affect their decision to purchase.¹⁴

Current Status of Respiratory Care Within the Health-Care System

Respiratory care is an important, integral part of the current health-care system because of the prevalence and seriousness of pulmonary disease, and because respiratory compromise is common with any severe major organ-system failure. Most respiratory care is provided in the acute care setting, the intensive care unit, and the emergency department, where necessary respiratory interventions are aggressive, often life-saving, and frequently include mechanical ventilation.^{15,16} Many of these patients have comorbid conditions. In addition to treatment of exacerbations of chronic respiratory conditions, current respiratory care practice includes trauma patients and patients without a primary respiratory diagnosis but who suffer a secondary pulmonary complication.

Because of the high prevalence of several specific pulmonary conditions in the United States, the proportion of all acute-care patients with respiratory issues is large (Table 4), often involves hospitalization, and is responsible for a large majority of the respiratory care delivered.

Chronic obstructive pulmonary disease (COPD) is a very prevalent but treatable disease and has been diagnosed in at least 12–14 million individuals. Twelve million more may have undiagnosed COPD and continue to smoke despite increasing shortness of breath. This undiagnosed group will increase the need for respiratory care in the future.²⁷ COPD is now the fourth leading cause of death in the United States. It is estimated that by 2020 it will be ranked third.²⁷

Table 4. Common Respiratory Disorders and Associated Facts

Diagnosis	Number of Diagnosed Individuals	Estimated Undiagnosed Individuals	Estimated Cost of Care (\$)	Facts
Chronic obstructive pulmonary disease	12 million	12 million	\$37 billion (2004)	Fourth most common cause of death. ^{17,18}
Asthma	22 million	Unknown	\$19 billion	Rising prevalence in younger individuals. Falling death rate: 4,000–5,000 deaths per year. ¹⁹
Obstructive sleep apnea	18 million	Unknown	Unknown	Drowsiness causes 100,000 accidents and 40,000 injuries per year. ^{20,21}
Lung cancer	2.2 million	Unknown	Unknown	Falling incidence since 1994. 150,000 deaths in 2004. ^{22,23}
Interstitial fibrosis	200,000	Unknown	Unknown	Industrial exposure and idiopathic are common etiologies. ^{24,25}
Cystic fibrosis	30,000	Unknown	Unknown	Increasing diagnosis with neonatal screening. ²⁶

COPD treatment in 2004 cost over \$37 billion, \$21 billion of which was for hospital care.²⁸

Asthma affects 22 million people in the United States. Nearly a half million patients with asthma are admitted to hospitals, at a cost of over \$19 billion. Although the asthma death rate is declining, 4,000–5,000 people die from asthma each year.²⁷

Obstructive sleep apnea remains an underdiagnosed respiratory disorder that impacts motor-vehicle safety, costing lives (as many as 1,500 deaths a years are caused by drowsy driving and industrial accidents) and reducing productivity. There may be as many as 18 million affected individuals, 6 million of whom have moderate-to-severe obstructive sleep apnea. The interactions between obstructive sleep apnea and other organ disorders are synergistic and greatly increase the overall health impact, morbidity, and mortality.²⁹⁻³⁴

Education of patients, professionals, and each other is an essential skill for RTs, and is important to reducing recidivism in patients with chronic respiratory diseases. Protocolized care (best practices),^{35,36} disease management,³⁷⁻³⁹ preventive care,⁴⁰ risk-factor modulation, disease self-management,⁴¹ and smoking cessation are recognized methods to improve health and reduce costs. However, there are substantial financial and systemic barriers to applying those methods in respiratory practice.⁴²⁻⁴⁶ A change in the reimbursement system could change the emphasis from acute (high-cost and high-risk) interventions to aggressive symptom management by the patient and the RT and should decrease the need for hospitalization.⁴⁷ That is, the location of care will shift from the acute-care setting to the home and other care sites. This shift is expected to expand reimbursement criteria for care provided in the home.

Potential Impact of Military and Public Health System Changes on Respiratory Practice

The missions of the armed forces are diverse, including intervention in regional and local conflicts, provision of humanitarian aid on foreign soil,⁴⁸ responding to disasters,^{49,50} and supporting nation-building. All military branches provide respiratory therapy services with medical reservists with RT credentials (or combat medical experience) or with individuals trained by their service branch. The goal of that experience is to develop a flexible individual who can deliver broad-based technical care, including respiratory care, and function in various roles, including the operating room, intensive care unit, battlefield, and the traditional hospital.⁵¹ Few individuals with respiratory care training are regularly utilized by the armed forces. This need may expand if major conflicts emerge.

In the military health-care system, most respiratory care is delivered to dependents, noncombatants, and veterans, mostly by the Veterans Affairs hospital system, and the rest through insurance and health plans such as TRICARE^{52,53} (formerly the Civilian Health and Medical Program of the Uniformed Services, or CHAMPUS), provided at civilian hospitals. An increase in the size or activity of the military would increase health-care demands and respiratory therapy opportunities.

In contrast to the armed services, the United States Public Health Service recognizes respiratory therapy as a profession and offers officer status to baccalaureate-level RTs in its commissioned corps. The United States Public Health Service, under the Department of Health and Human Services, includes over 6,000 qualified public health officials under the supervision of the Office of the Surgeon General. They provide various services to United States citizens, including responding to immediate and long-term

Table 5. Respiratory Therapist Work Force 2000–2016

Year	Number of Active Respiratory Therapists (according to)	
	State Licensure Boards	Bureau of Labor Statistics
2000	111,706	ND
2005	132,651	ND
2006	ND	122,000
2016	ND	145,000

ND = no data available

health needs, public-health promotion, disease-prevention programs, advancing public-health science, emergency-response assistance, and providing medical leadership to various components of the United States Government. The Public Health Service has 2 components: the commissioned corps, which is a career path with assignment changes and advancement; and civil service employees, who are stationary. Any change in the domestic mission of the United States Public Health Service, occurrence of a world or national disaster, or terrorist activity could increase the demand for health-care workers, alter RTs' job expectations, and create opportunities for RTs.

Current and Future Human Resource Issues

The number of active RTs in the workforce projected by the AARC 2005 human resources study was 132,651,⁵⁴ which is 19% greater than that in the 2000 AARC human resources study.⁵⁵ The United States Bureau of Labor Statistics reported that there were 121,000 RTs employed in 2006, and predicted a 19% increase in the need for RTs (to 145,000) between 2006 and 2016 (Table 5).⁵⁶ The Center for Health Workforce Studies reported in 2004 that RTs are unevenly distributed across the country; the highest density is in the District of Columbia (56/100,000 population) and the lowest density is in Utah (20/100,000 population), and the mean for the United States is 32/100,000 population (Table 6).⁵⁷ In 2005 the highest proportion of RTs (20.1%) worked in the Atlantic mid-coast and southeast area, and the lowest proportion (4.6%) worked in New England.⁵⁴ Seventy-four percent of RTs work at least part-time in acute care.⁵⁴ Sixty-one percent of RTs work in urban areas, and 38.5% work in rural areas.⁵⁴ The number of male RTs increased from 36% to 40% between 2000 and 2005.^{54,55} The mean age of active RTs in 2005 was 45 years, and the mean years of experience was 19 years.^{54,55} The average age of the RT in the workforce increased by 4.6 years between 2000 and 2005.^{54,55} Very few RTs older than 65 years were actively practicing in 2005.⁵⁴

Table 6. Number of Respiratory Therapists per 100,000 Population

	RTs/100,000 population	Rank Among the 50 States
Top Five		
District of Columbia	56.0	1
Indiana	52.7	2
Ohio	46.2	3
Kansas	46.1	4
Nebraska	42.4	5
Bottom Five		
Wyoming	23.7	46
Alaska	22.9	47
New Jersey	22.8	48
Minnesota	22.5	49
Utah	20.0	50
United States mean	32.1	NA

RT = respiratory therapist
NA = not applicable

The RT vacancy rate for budgeted positions in 2005 was 8.6% (10,000 positions), which is an increase from 5.9% in 2000.⁵⁴ The 2005 AARC human resources study projected a need for 171,684 budgeted positions in 2010.⁵⁴ In 2015 the projected budgeted RT positions will exceed 200,000 if the growth in new positions continues at the 2005 rate. A severe manpower shortage will result if RT retirees are not replaced by graduates from respiratory therapy programs.

Directors of respiratory therapy departments and schools find it difficult to fill vacant positions given the current manpower shortage of adequately prepared RTs. Accredited associate and baccalaureate/masters degree RT programs provided 24,150 graduates between 2004 and 2007 (an average of 6,048 graduates/y) (Table 7).⁵⁸ Advanced-level graduates composed 83.7% of the total in 2004, and 90.7% in 2007.⁵⁸ Only 9.5% graduated from one of the 53 baccalaureate or masters degree programs.⁵⁹ Graduates from accredited schools increased by 19% per year in 2005 and 2006, but decreased by 19% in 2007 (see Table 5).⁴⁹ Over the 10 years 2005 to 2015, 47.5% of program directors and 34.2% of directors of clinical education will retire from accredited respiratory therapy programs.⁵⁴ The loss of key program personnel in the near future is a serious problem that will require more graduates with baccalaureate and masters degrees to replace retired faculty members.

A steady influx of new respiratory therapy programs continued in 2008.⁶⁰ There are currently 34 entry-level, 341 advanced level, and 10 polysomnography programs that are accredited by the Commission on Accreditation of Allied Health Education Programs (CAAHEP) (this excludes the 48 programs that hold a Committee on Accreditation for Respiratory Care Letter of Review).⁶⁰ Of the 34

Table 7. Graduates From Associate Degree and Baccalaureate Degree CAAHEP Accredited Programs

Year	Number of Graduates				Total
	2004	2005	2006	2007	
Baccalaureate	445	486	591	569	2,091
Associate	4,634	5,570	6,612	5,241	22,083
Total	5,079	6,056	7,203	5,812	24,174

CAAHEP = Commission on Accreditation of Allied Health Education Programs

entry-level programs, only 8 are free-standing, without an advanced-level option. Five of those 8 plan to become 200-level programs.⁶⁰ The other three 100-level programs are located in areas that also have 200-level programs.⁶⁰ The Committee on Accreditation for Respiratory Care notified sponsoring agencies that a new CAAHEP accreditation standard will address only one entry level program (98% of all CAAHEP accredited programs are at the 200 level).⁶⁰ The 2008 Coalition for Baccalaureate and Graduate Respiratory Therapy Education roster lists 54 CAAHEP-accredited respiratory therapy programs, 53 of which award baccalaureate degrees, and 3 of which award masters degrees.⁵⁹

The Role of the RT in Biomedical Innovation

The role of the RT and the development of biomedical innovations have advanced in parallel. The respiratory therapy profession began out of necessity. With the development of treatments for respiratory disease came the need for practitioners to administer those treatments. In the early years, RTs were referred to as oxygen technicians; they administered oxygen therapy, Schwartz rebreathing tube treatments, aerosols, and intermittent positive-pressure breathing, and performed arterial blood gas analysis and pulmonary function studies.²

Today, the RT's role is vastly different. RTs use sophisticated medical equipment, manage mechanical ventilators, and administer invasive and noninvasive mechanical ventilation in all care settings. RTs provide extracorporeal life support to critically ill neonatal, pediatric, and adult patients, and safely transport patients via ground and air. They perform numerous diagnostic studies, including sleep studies. They also provide the traditional forms of aerosol, oxygen, and bronchial-hygiene therapy, and patient education on these therapies. RTs have also become an integral part of care in the home and subacute settings.

The general forces that are driving change in health care also drive respiratory care, but the role of the RT in 2015 will also be driven by biomedical innovation and evidence-based medicine. The increasing sophistication of mechanical ventilators and clinical monitoring systems necessi-

tates an even more sophisticated RT. Care of the critically ill mechanically ventilated patient will demand increased understanding of protocol-driven approaches to ventilatory support, many of which will be integrated into the mechanical ventilator.⁶¹⁻⁶⁴ Ventilation modes recently introduced in the United States challenge the historical approaches to ventilatory support. "Smart Care,"⁶¹ adaptive-support ventilation,⁵⁹ proportional-assist ventilation,⁶³ and neurally adjusted ventilatory support⁶⁴ all require in-depth understanding of respiratory physiology and the response of the ventilator to changes in patient status. All of these modes are forms of closed-loop controlled, protocolized approaches to ventilatory support that will need to be mastered by the RT.

New bedside respiratory monitoring systems will most likely be in clinical use by 2015, and may provide data similar to that currently provided by expensive diagnostic equipment, such as computed tomography, that require patient-transport.⁶⁵ Electrical impedance tomography,⁶⁶ acoustic thoracic monitoring,⁶⁷ and optoelectronic plethysmography⁶⁸ are examples of bedside monitoring techniques that could move from the research laboratory to the bedside. RTs will need greater understanding of complex physiology and the application of these physiologic monitors.

Paralleling the development of ventilators and respiratory monitoring systems is the development of extracorporeal gas-exchange techniques. Simple, easy-to-operate life-support devices, from those that only remove CO₂,⁶⁹ to completely pump-less extracorporeal lung-assist devices,⁷⁰ to implantable oxygenators,⁷¹ are being trialed today. Although extracorporeal gas exchange has been used primarily in neonates, these emerging devices and the increasing emphasis on these techniques in other age groups and diseases seem to forecast a need for all RTs to understand the physiology of extracorporeal gas exchange and the operation of these technologies.

There has been an explosion of new aerosol devices and expanded applications of aerosol therapy. Several new types of aerosol device have been released and more are expected to enter the market in the near future. Increasingly there is pairing of specific drugs with specific aerosol

systems.^{72,73} However, the RT's largest challenge will be the diversity of diseases in which aerosol will be used. Several antibiotics are now commonly delivered via aerosol,^{74,75} and there is trialing of aerosol administration of many drugs, including heparin for fibrosis⁷⁶ and asthma,⁷⁷ furosemide⁷⁸ and opioids for dyspnea,⁷⁹ insulin for diabetes,⁸⁰ calcitonin for osteoporosis,⁸¹ luteinizing hormone and follicle-stimulating hormone for infertility,⁸² human growth hormone for growth,⁸³ and interferons for hepatitis.⁸⁴ These new aerosol therapies will challenge the RT and require a broader knowledge of physiology, general medicine, and pharmacology.

Paralleling the expansion of aerosol delivery is the field of genomics and gene-replacement therapy. Gene polymorphisms may explain the variable response to β_2 agonists⁸⁵ and steroids,⁸⁶ and susceptibility to acute respiratory distress syndrome⁸⁷ and its associated mortality.⁸⁸ Much work is underway to develop aerosolized gene-replacement agents for genetic diseases such as alpha-1 antitrypsin deficiency⁸⁹ and cystic fibrosis.⁹⁰ Advances in gene therapy will also challenge the RT's knowledge base.

The RT in 2015 will have to be able to understand the scientific evidence. Health care in general is increasingly driven by the concept of evidence-based medicine. By 1996 over 1,000,000 randomized controlled trials had been published, many with conflicting results, and most forgotten or disregarded.⁹¹ RTs will need to be able to analyze studies to determine if the findings are appropriate for their practice, and be able to critique the findings and apply them when appropriate. This will require a clear understanding of research methods and statistics.

Disease Management

With the increasing shortage of physicians⁹² and nurses⁹³ there will be an increasing need for other providers to lead in the management of pulmonary disease. In addition, the United States population, which is currently over 300 million, is projected to be over 320 million by 2020.⁹⁴ More importantly, the population is aging,⁸ so more chronic pulmonary disease (will be seen, which) will require more medical services. The ultimate drivers of the development of the health-care delivery system will probably be cost and quality.

The Disease Management Association of America defines disease management as "a system of coordinated health-care interventions and communications for populations with conditions in which patient self-care efforts are significant."⁹⁵ Disease management is an outgrowth of the managed-care model. The intent of disease management is to lower costs by educating and closely monitoring patients and reducing utilization of high-cost services such as hospital and emergency care. Three requirements of disease management are:

Table 8. Disease-Management Skills

Assessment
Physical examination and history
Family-assistance capabilities
Conditions in the home
Ability to distinguish between the important and the unnecessary
Ability to respond to assessment findings
Does the physician need to be contacted?
Should a protocol be initiated?
Critical thinking skills essential
Ability to communicate appropriately
Clarity and accuracy essential
Across all age groups and education levels
Accurate documentation is critical
Must have a command of the strengths and weaknesses of current research
Capable of applying standards and guidelines
Ability to deviate from guidelines when appropriate
Clear understanding of the financial aspects of the health-care business

- The program must be able to identify the patient population that needs to be included in the program.
- There must be accepted standards of care the program uses in its delivery of services. In the management of respiratory disease the National Institute of Health asthma guidelines are a good example.
- The program must be able to measure outcomes and costs.

For a disease-management company to be successful it must attract professionals with a broad base of knowledge and skills, beyond a single disease or organ system. Control of diagnosis and management is still the role of the physician, but the disease-management staff must manage relations with the physician's office and establish the disease-management company's role in patient care. Success in disease management requires staff with a variety of skills (Table 8). Fitting into the disease-management model will be a challenge for RTs. Their scope of knowledge and skill will need to expand and they will need to refine their critical thinking and communication skills, receive training in finance, and increase their ability to analyze the literature.

What Should the RT Do in the Future?

Price Waterhouse Coopers published in 2005 a report titled "HealthCast 2020: Creating a Sustainable Future,"⁹⁶ which contained the consensus opinions of 580 hospital executives, physician groups, payers, governments, medical supply companies, and employers, from 27 countries. In the principal scenario described in the report, most of the groups represented are facing rising health-care costs

Table 9. Key Points From the Price Waterhouse Coopers Health Research Institute Report "HealthCast 2020: Creating a Sustainable Future"⁹⁶

Both private and government sources will be needed to fund health care.
Consumerism will change the way care is delivered.
Focus will shift to wellness and prevention.
Pay-for-performance will become the new paradigm.
Information technology will form the backbone of care.
Innovative, flexible care models will emerge.

and diminished resources, while demand continues to grow. The report's consensus was that consumerism, wellness, prevention, pay-for-performance, information technology, and innovative flexible care models are what are needed (Table 9).

Assuming that somehow our political and private agencies will find a way to resolve our financial dilemma, the following 5 trends can be viewed from the perspective of how the RT may help to solve these issues.

Consumerism. Several professionals have little direct patient-care contact and are seldom if ever involved in assisting patients or their families with health-care choices. This is not true for the RT, who should be able to meet the changing demands of the consumer.

Wellness and Prevention. A few professions focus primarily on treating the specific malady presented and currently have little training or ability to function in the role of wellness and disease prevention. This is not true for the RT. Current RT education does provide such training; however, future RT education will need to address this concern in greater scope and depth.

Pay for Performance. Though all professionals contribute to the expense of health care, some have little ability to modify their work patterns to provide good patient outcomes while improving efficiency. Clearly the provision of respiratory care affects patient outcomes, which has increasingly become a focus of respiratory care practice. Future RT education will need to focus more on avoiding iatrogenic injury and on improving patient outcomes.

Information Technology. Most professions are adapting to the advent of electronic health-care information, but few are fully prepared to embrace this new future. Respiratory care has always embraced innovation in technology and can be expected to continue to do so.

Flexible and Innovative Care. Those professions with a broader perspective on health care outside a specific technical arena would do well here.

Using these criteria, the RT would rank highly on meeting these objectives. Additional RT characteristics that fit especially well into these future needs include: comfort with information systems and other advanced and emerging technologies; ability to fluidly interact with patients, families, physician, and other professionals in all care sectors; availability to the consumer at all times and in many current health-care settings; flexibility in adapting to changing treatment modalities and taking on additional duties. The RT is properly positioned to assume this role in the future health-care system, but there are many challenges that must be met before the role can be assumed.

Summary

The health-care system in the United States is on the verge of dramatic change, driven largely by pressure to decrease costs and improve quality. These same forces also drive respiratory care, but the role of the RT in 2015 will also be driven by biomedical innovation and evidence-based medicine. The RT is in a unique position in the health-care system to assume the responsibilities emerging as the health-care system changes, but great challenges confront the profession if these roles are to be assumed. It will require the dedication and commitment of the entire profession if this change is to be achieved.

REFERENCES

1. Ward JJ, Helmholtz HF. Roots of the respiratory care profession. In: Burton GG, Hodgkin JE, Ward JJ, editors. *Respiratory care: a guide to clinical practice*, 4th edition. Philadelphia: Lippincott Williams and Wilkins; 1997.
2. Smith GA. *Respiratory care: evolution of a profession*. Lenexa, Kansas: AMP; 1989.
3. Weilacher RR. History of the respiratory care profession. In: Hess DR, MacIntyre NR, Mishoe SC, Galvin WF, Adams AB, Saposnick AB, editors. *Respiratory care: principles and practice*. Philadelphia: Saunders; 2002.
4. American Association for Respir Care. Position statement. Definition of respiratory care. December 2006. http://www.aarc.org/resources/position_statements/defin.html. Accessed January 7, 2009.
5. Commission on Accreditation of Allied Health Education Programs. Standards and guidelines for the profession of respiratory care. 2003. http://www.caahep.org/documents/forprogramdirectors/rt_standards.pdf. Accessed January 7, 2009.
6. Kimball B, Joynt J, Cherner D, O'Neil E. The quest for new innovative care delivery models. *J Nurs Adm* 2007;37(9):392-398.
7. Centers for Medicare and Medicaid Services, Office of the Actuary, National Health Statistics Group. 2002 National Health Care Expenditures Data Files. 2004 projections; Analysis, Center for the Health Professions, University of California, San Francisco, 2008.
8. US Census Bureau. An older and more diverse nation by midcentury. <http://www.census.gov/press-release/www/releases/archives/population/012496.html>. Accessed January 9, 2009.
9. Historical statistics of the US, colonial times to 1970. Population paper 47. US Census Bureau; 1994.
10. Control of infectious diseases, 1900-1999. *MMWR* 1999;48(5):621-629.

11. Dick RS, Steen EB, Detmer DE. The computer-based patient record: an essential technology for health care. Washington DC: National Academy Press; 1997. <http://books.nap.edu/openbook.php?isbn=0309055326>. Accessed January 7, 2009.
12. Botsis T, Hartvigsen R. Current status and future perspectives in telemedicine for elderly people suffering from chronic diseases. *J Telemed Telecare* 200;14(4):195-203.
13. Hortpon K. The use of telecare for people with chronic obstructive pulmonary disease; implications for management. *J Nurs Manag* 2008;16(2):173-180.
14. Newhouse JP. Consumer-directed health plans and the RAND health insurance experiment. *Health Aff (Millwood)* 2004;23(1):107-113.
15. MacIntyre NR, Epstein SK, Carson S, Sheinhorn D, Kent C, Sean M. Management of patients requiring prolonged mechanical ventilation: report of a NAMDRC consensus conference. *Chest* 2005;128(6):3937-3954.
16. Dunne PJ. Demographics and financial impact of home respiratory care. *Respir Care*. 1994;39(4):309-320. Erratum in: *Respir Care* 1994;39(5):587.
17. Chronic obstructive pulmonary disease surveillance: United States, 1971-2000. *MMWR* 2002;51(Suppl 6):1-16.
18. Centers for Disease Control and Prevention. Environmental hazards and health effects: chronic obstructive pulmonary disease. <http://www.cdc.gov/nceh/airpollution/copd>. Accessed January 7, 2009.
19. Centers for Disease Control and Prevention. Environmental hazards and health effects: asthma. <http://www.cdc.gov/asthma/asthadata.htm>. Accessed January 7, 2009.
20. Young T, Palta M, Dempsey J, Skatrud J, Weber S, Badr S. The occurrence of sleep-disordered breathing among middle-aged adults. *N Engl J Med* 1993;328(17):1230-1235.
21. Sorajja D, Gami AS, Somers VK, Behrenbeck TR, Garcia-Touchard A, Lopez-Jimenez F. Independent association between obstructive sleep apnea and subclinical coronary artery disease. *Chest* 2008;133(4):927-933.
22. United States cancer statistics 2004. Top 10 cancers by geographic area. <http://apps.nccd.cdc.gov/uscs/table.aspx?group=3f&year=2004&display=n>. Accessed January 9, 2009.
23. National Program of Cancer Registries. United States cancer statistics: major facts and findings. http://www.cdc.gov/cancer/npcr/uscs/2004/facts_major_findings.htm. Accessed January 7, 2009.
24. Raghu G, Weycker D, Edelsberg J, Bradford WZ, Oster G. Incidence and prevalence of idiopathic pulmonary fibrosis. *Am J Respir Crit Care Med* 2006;174(7):810-816.
25. American Thoracic Society; European Respiratory Society. ATS/ERS international multidisciplinary consensus classification of idiopathic interstitial pneumonias. *Am J Respir Crit Care Med* 2002;165(2):277-304.
26. National Newborn Screening Information System. Newborn screening for cystic fibrosis. <http://www.cdc.gov/mmwr/preview/mmwrhtml/rr5313a1.htm>. Accessed January 7, 2009.
27. US Census Bureau. Current population reports: P25-1130 population projections of the United States by age, sex, race, and Hispanic origin: 1995-2050. 1999. <http://www.census.gov/prod/1/pop/p25-1130>. Accessed January 7, 2009.
28. National Center for Health Statistics. Chronic lower respiratory disease. December 2008. <http://www.cdc.gov/nchs/fastats/copd.htm>. Accessed January 7, 2009.
29. Peters RW. Obstructive sleep apnea and cardiovascular disease. *Chest* 2005;127(1):1-3.
30. Parish JM, Somers VK. Obstructive sleep apnea and cardiovascular disease. *Mayo Clin Proc* 2004;79(8):1036-1046.
31. Sin DD, Fitzgerald F, Newton G, Newton G, Floras JS, Bradley TD. Risk factors for central and obstructive sleep apnea in 450 men and women with congestive heart failure. *Am J Respir Crit Care Med* 1999;160(4):1101-1106.
32. Wolk R, Kara T, Somers VK. Sleep-disordered breathing and cardiovascular disease. *Circulation* 2003;108(1):9-12.
33. Dyken ME, Somers VK, Yamada T, Ren ZY, Zimmerman MB. Investigating the relationship between stroke and obstructive sleep apnea. *Stroke* 1996;27(3):401-407.
34. Gami AS, Pressman G, Caples SM, Kanagata R, Gard J, Naser A, et al. Association of atrial fibrillation and obstructive sleep apnea. *Circulation* 2004;110(4):364-367.
35. MacIntyre NR. Evidence-based ventilator weaning and discontinuation. *Respir Care* 2004;49(7):830-836.
36. Kallstrom TJ, Myers TR. Asthma disease management and the respiratory therapist. *Respir Care* 2008;53(6):770-777.
37. Adams SG, Smith PK, Allan PF, Anzueto A, Pugh J, Cornell JE. Systematic review of the chronic care model in chronic obstructive pulmonary disease prevention and management. *Arch Intern Med* 2007;167(6):551-561.
38. Pushparajah S, McClellan R, Henry A, Kuitert LM. Use of a chronic disease management program in COPD to reduce hospital admissions. *Chron Respir Dis* 2006;3(4):187-193.
39. Stoller JK, Niewoehner DE, Fan VS. Disease management as an evolving role for respiratory therapists. *Respir Care* 2006;51(12):1400-1402.
40. Wilt TJ, Niewoehner D, MacDonald R, Kane RL. Management of stable chronic obstructive pulmonary disease: a systematic review for a clinical practice guideline. *Ann Intern Med* 2007;147(9):639-653.
41. Bourbeau J, Collet JP, Schwartzman K, Ducruet T, Nault D, Bradley C, et al. Economic benefits of self-management education in COPD. *Chest* 2006;130(6):1704-1711.
42. Cohen IL, Booth FV. Cost containment and mechanical ventilation in the United States. *New Horiz* 1994;2(3):283-290.
43. Jasper A, Kahan S, Goldberg H, Koerner S. Cost-benefit comparison of aerosol bronchodilator delivery methods in hospitalized patients. *Chest* 1987;91(3):414-418.
44. Kollef M, Shapiro S, Clinkscale D, Cracchiolo L, Clayton D, Wilner R, et al. The effects of respiratory therapist-initiated treatment protocols on patient outcomes and resource utilization. *Chest* 2000;117(2):467-475.
45. Stoller JK, Haney D, Burkhart J. Physician-ordered respiratory care vs physician-ordered use of a respiratory therapy consult service: early experience at the Cleveland Clinic Foundation. *Respir Care* 1993;38(11):1143-1154.
46. Stoller J, Mascha E, Kester L, Hanley D. Randomized controlled trial of physician-directed versus respiratory therapy consult service-directed respiratory care to adult non-ICU inpatients. *Am J Crit Care Med* 1998;158(4):1066-1075.
47. Carroll NV, Delafuente JC, McClure KL. Economic burden of influenza-like illness in long-term-care facilities. *Am J Health Syst Pharm* 2001;58(7):1133-1138.
48. Tarantino D. Asian tsunami relief: Department of Defense public health response: policy and strategic coordination considerations. *Mil Med* 2006;171(Suppl):15-18.
49. McGuinness KM. The USNS Mercy and the changing landscape of humanitarian and disaster response. *Mil Med* 2006;171(Suppl):48-52.
50. Timboe HL, Holt GR. Project HOPE volunteers and the Navy hospital ship Mercy. *Mil Med* 2006;171(Suppl):34-36.
51. United States Army. Posture statement. Enabling mission accomplishment: four overarching, interrelated strategies. <http://www.army.mil/APS/05/enabling.html> 2005. Accessed January 7, 2009.
52. Mulkey SL, Hassell LH, LaFrance KG. The implications of TRICARE on medical readiness. *Mil Med* 2004;169(1):16-22.

53. Mangelsdorff AD, Finstuen K, Larsen SD, Weinberg EJ. Patient satisfaction in military medicine: model refinement and assessment of Department of Defense effects. *Mil Med* 2005;170(2):309-314.
54. American Association for Respiratory Care. AARC human resource survey of respiratory therapists. Irving, Texas, 2005.
55. American Association for Respiratory Care. AARC human resource survey of respiratory therapists. Irving, Texas, 2000.
56. US Bureau of Labor Statistics, 2006. Occupational outlook handbook, 2008-09 edition: respiratory therapists. <http://www.bls.gov/oco/ocos084.htm>. Accessed January 7, 2009.
57. Dionne M, Moore J, Armstrong D, Martiniano R. The United States health workforce profile. Rensselaer, NY: Center for Health Workforce Studies, School of Public Health, SUNY Albany, October 2006.
58. Frequently asked questions. Committee on Accreditation for Respiratory Care, Bedford, Texas, 2008. <http://www.coarc.com/documents/new/faqs%20rcs.pdf>. Accessed January 9, 2008.
59. 2008 roster: respiratory therapy programs awarding a baccalaureate or masters degree. Coalition for Baccalaureate and Graduate Respiratory Therapy Education, Boston, MA. April 2008. http://www.aarc.org/education/accredited_programs/2008_bsrt_msrt_roster.pdf. Accessed January 9, 2008.
60. 2007-2008 annual report. Committee on Accreditation for Respiratory Care. Bedford, Texas, 2008. <http://www.caahep.org/documents/file/publications-and-governing-documents/annualreport.pdf>. Accessed January 9, 2009.
61. Lellouche F, Mancebo J, Jolliet P, Roseler J, Schortgen F, Dojat M, et al. A multicenter randomized trial of computer-driven protocolized weaning from mechanical ventilation. *Am J Crit Care Med* 2006;174(8):894-900.
62. Arnal JM, Wysocki M, Nafati C, Donati S, Granier I, Corno G, Durand-Gasselin J. Automatic selection of breathing pattern using adaptive support ventilation. *Int Care Med* 2008;34(1):75-81.
63. Bosma K, Ferreyra G, Ambrogio C, Pasero D, Mirabella L, Braghieri A, et al. Patient-ventilator interaction and sleep in mechanically ventilated patients: pressure support vs proportional assist ventilation. *Crit Care Med* 2007;35(4):1048-1054.
64. Sinderby C, Beck J, Spahija J, de Marchie M, Lacroix J, Navalesi P, Slutsky A. Inspiratory muscle unloading by neurally adjusted ventilatory assist during maximal inspiratory efforts in healthy subjects. *Chest* 2007;131(2):711-717.
65. Schibler A, Calzia E. Electrical impedance tomography: a future item on the "Christmas wish list" of the intensivist? *Int Care Med* 2008;34(2):400-401.
66. Meier T, Luepschen H, Karsten J, Leibecke T, Grobher M, Gehring H, Leonhardt S. Assessment of regional lung recruitment and derecruitment during a PEEP trial based on electrical impedance tomography. *Int Care Med* 2008;34(3):543-550.
67. Tejman-Yarden S, Lederman D, Eillig I, Slotnik A, Wekster N, Cohen A, Gurman G. Acoustic monitoring of double-lumen ventilated lungs for the detection of selective unilateral lung ventilation. *Anesth Analg* 2006;103(5):1489-1493.
68. Dellaca R, Aliverti A, Pelosi P, Carlesso E, Chiumello D, Pedotti A, Gattinoni L. Estimation of end-expiratory lung volume variations by optoelectronic plethysmography. *Crit Care Med* 2001;29(9):1807-1811.
69. Fischer S, Hoepfer MM, Bein T, Simon AR, Gottlieb J, Wissner W, et al. Interventional lung assist: a new concept of protective ventilation in bridge to lung transplantation. *ASAIO J* 2008;54(1):3-10.
70. Meyer A, Strüber M, Fischer S. Advances in extracorporeal ventilation. *Anesthesiol Clin* 2008;26(2):381-391.
71. Asakawa Y, Funakubo A, Fukunaga K, Taga I, Higami T, Kawamura T, Fukui Y. Development of an implantable oxygenator with cross-flow pump. *ASAIO J* 2006;52(2):291-295.
72. Treating opportunistic infections among HIV-infected adults and adolescents. *MMWR* 2004;53(SS-1):1-112.
73. Use of ribavirin in the treatment of respiratory syncytial virus infection. *Pediatrics* 1993;92(3):501-504.
74. Le Conte P, Potel G, Clemneti E. Administration of tobramycin aerosols in patients with nosocomial pneumonia: a preliminary study. *Presse Med* 2000;29(1):76-78.
75. Wood GC, Bouchere BA, Croce MA, Croce MD, Hanes SD, Herring VL, Fabian TC. Aerosolized ceftazidime for prevention of ventilator-associated pneumonia and drug effects on the proinflammatory response in critically ill trauma patients. *Pharmacother* 2002;22(8):972-982.
76. Gunther A, Lubke N, Ermert M, Schermuly RT, Weissmann N, Breitecker A, et al. Prevention of bleomycin-induced lung fibrosis by aerosolization of heparin or urokinase in rabbits. *Am J Respir Crit Care Med* 2003;168(11):1358-1365.
77. Tutluoglu B, Gurbuz N, Atis S, Abanozlu, Ibis R, Kanik A. Effects of heparin on hypertonic potassium chloride-induced bronchoconstriction. *Ann Pharmacother* 2001;35(10):1161-1165.
78. Minowa Y, Ide T, Nishino T. Effects of inhaled furosemide on CO₂ ventilatory responsiveness in humans. *Pulm Pharmacol Ther* 2002;15(2):363-368.
79. Grimbert D, Lubin O, de Monte M, Vecellio NL, Perrier M, Carre P, et al. Dyspnea and morphine aerosols in the palliative care of lung cancer. *Rev Mal Respir* 2004;21(5):1091-1097.
80. Huang YY, Wang CH. Pulmonary delivery of insulin by liposomal carriers. *J Control Release* 2006;113(1):9-14.
81. Podichetty VK, Segal AM, Lieber M, Mazanec DJ. Effectiveness of salmon calcitonin nasal spray in the treatment of lumbar canal stenosis: a double-blind, randomized, placebo-controlled, parallel group trial. *Spine* 2004;29(21):2343-2352.
82. Weissbach L, Struth B. [Treatment of undescended testis with IH-RH nasal spray]. *Urologe A* 1983;22(1):176-179. *Article in German.*
83. Bosquillion C, Preat V, Vanbever R. Pulmonary delivery of growth hormone using dry powders and visualization of its local fate in rats. *J Control Release* 2004;96(2):233-244.
84. Brussino L, Bucca C, Morello M, Scappaticci E, Mauro M, Rolia G. Effect on dyspnea and hypoxemia of inhaled N(G)-nitro-L-arginine methyl ester in hepatopulmonary syndrome. *Lancet* 2003;362(1):43-44.
85. Wechsler M, Lehman E, Lazarus S, Lemanske R, Boushey H, Deykin A, et al. Adrenergic receptor polymorphisms and response to salmeterol. *Am J Respir Crit Care Med* 2006;173(5):519-526.
86. Weiss ST, Lake SL, Silverman ES, Silverman EK, Richter B, Drazen JM, Tantisira KG. Asthma steroid pharmacogenetics. *Proc Am Thorac Soc* 2004;1(4):364-367.
87. Gong MN, Shou W, Williams P, Thompson TB, Pothier L, Christiani DC. Polymorphisms in the mannose binding lectin-2 gene and acute respiratory distress syndrome. *Crit Care Med* 2007;35(1):48-56.
88. Garcia JG, Vinasco LM. Genomic insights into acute inflammatory lung injury. *Am J Physiol Lung Cell Mol Physiol* 2006;291(6):L1113-L1117.
89. Abusriwil H, Stockley R. Alpha-1 antitrypsin replacement therapy: current status. *Curr Opin Pulm Med* 2006;12(1):125-131.
90. Ferrari S, Griesenbach U, Iida A, Farley R, Wright AM, Zhu J, et al. Sendai virus-mediated CFTR gene transfer to the airway epithelium. *Gene Ther* 2007;14(19):1371-1379.
91. Taubes G. Looking for the evidence in medicine. *Science* 1996;272(1):22-24.
92. AAMC statement on the physician workforce. Association of American Medical Colleges, Washington DC; 2006.
93. Dohm A, Shniper L. Occupational employment projections to 2016. Monthly labor review, November 2007:86-125. <http://www.bls.gov/opub/mlr/2007/11/art5full.pdf>. Accessed January 7, 2009.

94. US Census Bureau, Population Projections Program. Projections of the total resident population by 5-year age groups, and sex with special age categories: middle series, 2016-2020. 2000. <http://www.census.gov/population/projections/nation/summary/np-t3-e.pdf>. Accessed January 7, 2009.
95. DMAA: The Care Continuum Alliance. DMAA definition of disease management. http://www.dmaa.org/dm_definition.asp. Accessed January 7, 2009.
96. Pricewaterhouse Coopers' Health Research Institute. HealthCast 2020: creating a sustainable future. 2005. http://www.pwc.com/il/heh/about/svcs/publication/alerts/2healthcast_2020.pdf. Accessed January 7, 2009.

Appendix 1

Members of the Task Force on the Future of Respiratory Care

Thomas A Barnes EdD RRT FAARC
Judy Blumenthal PhD
William H Dubbs MEd MHA RRT FAARC
Charles G Durbin MD FAARC
David D Gale MD
Sam P Giordano MBA RRT FAARC
Robert M Kacmarek PhD RRT FAARC
Woody V Kageler MD FACP FCCP
Thomas J Kallstrom RRT AE-C FAARC
Jolene K Miller EdD RRT
Michael J Morris COLMC
Edward H O'Neil PhD MPA FAAN
Karen J Stewart MS RRT FAARC
John W Walsh (patient/consumer representative)
John R Walton MBA RRT FAARC

Appendix 2

Organizations Invited to Conference 1 on the Future of Respiratory Care

Allergy and Asthma Network - Mothers of Asthmatics	COPD Foundation
Alpha-1 Advocacy Alliance	COPD-ALERT
Alpha-1 Foundation	Department of Defense Health Affairs
American Academy of Family Physicians	Health Resources and Services Administration/Department of Health and Human Services
American Academy of Pediatrics	Disease Management Association of America
American Association for Cardiovascular and Pulmonary Rehabilitation	Emphysema Foundation for Our Right to Survive
American Association for Homecare	Federation of American Hospitals
American Association for Homes and Service for the Aging	Genetic Alliance
American Association of Community Colleges	Health Professions Network
American College of Allergy and Immunology	Healthcare Financial Management Association
American College of Chest Physicians	Joint Commission
American Health Care Association	Leapfrog Group
American Hospital Association	Medical Group Management Association
American Lung Association	National Association for Home Care and Hospice
American Respiratory Care Foundation	National Association for Long Term Hospitals and Acute Long Term Hospital Association
American Sleep Apnea Association	National Association for Medical Direction of Respiratory Care
American Society of Anesthesiologists	National Board for Respiratory Care
American Thoracic Society	National Heart Lung and Blood Institute
Association of Schools of Allied Health Professions	National Home Oxygen Patients Association
Asthma and Allergy Foundation of America	National Network for Two-Year Colleges
Blue Cross	North Carolina Board for Respiratory Care
California Board for Respiratory Care	Ohio Board for Respiratory Care
California Health Care Foundation	Pulmonary Fibrosis Foundation
California Quality Collaborative	Society of Critical Care Medicine
Center for Disease Control	United Health Care
Center for Health Professions	United States Office of Personnel Management
Centers for Medicare and Medicaid Services	United States Public Health Service
Commission on Accreditation of Allied Health Education Programs	Veterans Affairs Administration
Committee on Accreditation of Respiratory Care	Veterans Health Administration

Appendix 3

Attendees at Conference 1 on the Future of Respiratory Care

Thomas A Barnes EdD RRT FAARC, Northeastern University
 Sherry L Barnhart RRT-NPS FAARC, National Board for Respiratory Care
 William H Dubbs RRT MHA Med FAARC, AARC Staff
 Patrick J Dunne MEd RRT FAARC, Healthcare Productions, Inc
 Charles G Durbin MD FAARC, Society of Critical Care Medicine
 Robert J Floro RRT, The Joint Commission
 Richard M Ford RRT FAARC, AARC Management Section
 David D Gale PhD, Association of Schools of Allied Health Professions
 Sam P Giordano MBA RRT FAARC, AARC Staff
 Richard Hernandez RRT DrPH, National Network of Health Career Programs in Two Year Colleges
 Robert M Kacmarek PhD RRT FAARC, Massachusetts General Hospital
 Woody V Kageler MD MBA, Tarrant County College
 Thomas J Kallstrom RRT AE-C FAARC, AARC Staff
 James P Kiley PhD, National Heart Lung and Blood Institute
 Neil R MacIntyre MD FAARC, Duke University
 Lacheeta McPherson PhD MT, Commission on Accreditation of Allied Health Education Programs
 Jolene K Miller MEd RRT, National Network of Health Career Programs in Two Year Colleges
 Shelly C Mishoe PhD RRT FAARC, Committee on Accreditation of Respiratory Care
 Col Michael J Morris MC USA, Brooke Army Medical Center
 Timothy R Myers RRT-NPS, AARC President-Elect
 Graham Nelan, American Thoracic Society
 Steven B Nelson MSc RRT CPFT FAARC, AARC Staff
 Carolyn O'Daniel EdD RRT, National Network of Health Career Programs in Two Year Colleges
 Edward H O'Neil PhD MPA, Center for Health Professions
 Phillip Porte, American Association for Cardiovascular and Pulmonary Rehabilitation
 National Association for Medical Direction of Respiratory Care
 National Home Oxygen Patients Association
 Toni Rodriguez EdD RRT, AARC President
 Gordon D Rubinfeld MD MSc, University of Toronto
 Karen L Siegel MA PT, United States Public Health Service
 Gary A Smith FAARC, National Board for Respiratory Care
 Charles B Spearman MEd RRT FAARC, California Board for Respiratory Care
 Alvin V Thomas Jr MD, American College of Chest Physicians
 John W Walsh, COPD and Alpha 1 Foundation
 John R Walton MBA RRT FAARC, Resurrection Health Care
 Jeffrey J Ward MEd RRT FAARC, AARC Education Section
 Ralph D Webb RRT, North Carolina Board for Respiratory Care